



1/1
R



10/524149
PCT/GB 2003 / 003562

11 FEB 2005



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

REC'D 16 SEP 2003

WIFO PCT

**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)


I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

BEST AVAILABLE COPY



Signed

R. Mahoney

Dated

4 September 2003

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form.)

14 AUG 2002

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

Fee: £0

1. Your reference

44862/JMD/NT

2. Patent application number
(The Patent Office will fill in this part)

0218811.8

3. Full name, address and postcode of the or of each applicant (underline all surnames)

CeNeS Limited
Compass House
Vision Park
Chivers Way
Histon
Cambridge
CB4 4ZR

Patents ADP number (if you know it)

731 38 77002

If the applicant is a corporate body, give the country/state of incorporation

United Kingdom

4. Title of the invention

Salts of Morphine-6-Glucuronide

5. Full name, address and postcode in the United Kingdom to which all correspondence relating to this form and translation should be sent

Reddie & Grose
16 Theobalds Road
LONDON
WC1X 8PL

Patents ADP number (if you know it)

91001 ✓

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application
(If you know it)

Date of filing
(day/month/year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day/month/year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

YES

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document.

Continuation sheets of this form

Description	6
Claim(s)	1
Abstract	0
Drawing(s)	1 + 1

CF

10. If you are also filing any of the following, state how many against each item.

Priority documents	0
Translations of priority documents	0
Statement of inventorship and right to grant of a patent (Patents Form 7/77)	0
Request for preliminary examination and search (Patents Form 9/77)	0
Request for substantive examination (Patents Form 10/77)	0
Any other documents (please specify)	

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date
12 August 2002

Reddie & Gore

12. Name and daytime telephone number of person to contact in the United Kingdom

J M DAVIES
01223 360350

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- f) For details of the fee and ways to pay please contact the Patent Office.

44862.GB01

Salt of Morphine-6-Glucuronide

This invention relates to a salt of morphine-6- β -D-glucuronide (M6G; see Figure 1) with improved stability, and
5 to use of the salt as a medicament, in particular as an analgesic.

M6G is a metabolite of morphine which is known to be a more powerful analgesic than morphine itself and yet has fewer side effects. Methods of preparation of M6G are described in
10 WO 93/03051, WO 93/05057, WO 99/58545 and WO 99/38876.

Whilst M6G base is stable when stored at -20°C, it does degrade when stored at room temperature. This degradation is not only noted by an increase in detectable degradation products, but also by a marked colour change of the
15 compound. This will limit the shelf life of M6G base at ambient temperature.

It has now been found that the hydrobromide salt of M6G (M6G.HBr) is surprisingly stable compared to other M6G salts, in particular the hydrochloride (M6G.HCl) and
20 sulphate (M6G.H₂SO₄) salts. M6G.HBr showed a very limited amount of degradation and no discolouration after storage at room temperature for six years (see Example 1 below).

According to the invention there is provided a hydrobromide salt of M6G (M6G.HBr). A method of preparation of M6G.HBr is
25 described in Example 2 below.

M6G.HBr may be used as a medicament, in particular as an analgesic. Examples are for the treatment of moderate to severe, acute and chronic nociceptive pain (such as post-operative pain, pain associated with malignant and non-malignant diseases), and neuropathic pain.
30

M6G.HBr may be administered by any suitable route. Examples are as a solid formulation (e.g. for oral, dry powder inhalation), as a solution formulation (e.g. intravenous (including infusion for PCA), subcutaneous, intranasal, or sublingual), or as a transdermal formulation (e.g. by simple diffusion or by enhanced electrophoretic methods). Transdermal administration of pharmaceutically acceptable acid addition salts of M6G is described in US 5,705,186.

According to the invention there is also provided a pharmaceutical composition comprising an analgesically effective amount of M6G.HBr together with a pharmaceutically acceptable carrier, excipient, or diluent.

An analgesically effective amount of M6G.HBr will vary with the route of administration. A suitable dose is in the range of 1-200mg/70Kg, preferably in the range of 5-75mg/70Kg. Dosage for routes of administration where bio-availability is high (e.g. intravenous, subcutaneous, intranasal, sublingual) will be lower than for routes with low bio-availability (e.g. oral).

M6G.HBr may also be used for the symptomatic treatment of breathlessness in patients with advanced cancer. Any suitable route of administration may be used, but a preferred route is inhalation of nebulized M6G.HBr. The effect of administration of nebulized M6G is described by Quigley et al in *J. Pain Symptom Manage.*, Letters, Vol 23, No.1 (2002), pages 7-9. A dosage of M6G.HBr effective for the treatment of breathlessness in a subject with advanced cancer will vary with the route of administration. A suitable dose is in the range of 1-200mg/70Kg, preferably in the range of 5-75mg/70Kg.

The following examples relate to the stability of M6G salts at room temperature, and methods of preparation of M6G

salts. Table 1 shows the stability data for the M6G salts tested, and Figure 1 shows the chemical structure of M6G and identified degradants.

Example 1 Stability of M6G salts at room temperature

5 Analytical investigation by HPLC:

Samples of the hydrochloride salt (M6G.HCl) (205-2056), the sulphate salt (M6G.H₂SO₄) (205-2060), and the hydrobromide salt (M6G.HBr) (205-2059) of M6G were stored at room temperature for almost 6 years and then analysed by HPLC. 10 The results are shown in Table 1, together with the results of HPLC analysis of samples prepared under similar conditions a few months earlier.

Results:

M6G.HCl (205-2056): The content of M6G decreased to 69% 15 (starting from ~82%). HN-67002 and HN-67003 (which are typically oxidation products) increased to 1.3% and 2.1% respectively. The content of HN-33177, a synthetic impurity of M6G, remained unchanged. However, there are 17 peaks present in the chromatogram that cannot be identified by 20 retention time. The total of these impurities is 9.2 area %.

M6G.H₂SO₄ (205-2060): The content of M6G decreased to 63% (starting from ~77%). HN-67002 and HN-67003 increased to 1.1% and 1.8% respectively. The content of HN-33177 did not 25 change. However, there are 13 peaks present in the chromatogram that cannot be identified by retention time. The total of these impurities is 10.7 area % with a dominant peak at 23.5 min (6.55 area %).

M6G.HBr (205-2059): The content of M6G did not decrease at 30 all and the content of HN-67002 (0.5%) and HN-67003 (0.2%) is much lower than in the samples discussed above. There are

only 4 additional peaks present in the chromatogram. None of these are bigger than 0.4 area %. The result is superior to the two other salts tested.

Conclusion:

5 The hydrobromide salt of M6G shows very limited degradation and was not discoloured after storage for six years at room temperature compared to the free base and other salts investigated. Thus, the hydrobromide salt of M6G has improved stability at room temperature compared to the
10 hydrochloride and sulphate salts of M6G.

Example 2 Preparation of hydrobromide and sulphate salts of M6G

Preparation of Q 3196 (M6G.HBr, 304-4428):

4.99g of M6G.2H₂O were dissolved in 11ml of Methanol and
15 cooled to -15°C. 1.16ml of HBr (48% in water) was diluted with 0.85ml of Methanol and cooled to -15°C and added slowly to the solution of M6G. A clear, highly viscous, pale yellow solution was obtained. The solution was stirred for 5 minutes before 100ml 2-propanol (-15°C) were added. The
20 product precipitated immediately. The slurry was stirred for 3.5 hours at -20°C, the crystals were filtered off, washed with 37.5ml cold 2-propanol (-20°C) and dried at room temperature in a high vacuum. The yield was 5.61g.

Preparation of Q 3195 (M6G.H₂SO₄, 304-4429):

25 5.02g of M6G.2H₂O were dissolved in 11ml of Methanol and cooled to -15°C. 0.35ml of H₂SO₄ (96%) was diluted with 0.85ml of Methanol and cooled to -15°C and added slowly to the solution of M6G. A clear, highly viscous, pale yellow solution was obtained. The solution was stirred for 5
30 minutes before 100ml 2-propanol (-15°C) were added. The product precipitated immediately. The slurry was stirred for 3.5 hours at -20°C, the crystals were filtered off,

- 5 -

washed with 37.5ml cold 2-propanol (-20°C) and dried at room temperature in a high vacuum. The yield was 5.36g.

Table 1: Stability Data of M6G-Salts Stored at Ambient Temperature

Salt	Batch	Elapsed Time (years)	Assay M6G uncorr.	Assay M6G corr.	HN-67002	HN-75076	Morphine	HN-75083	HN-67003	HN-33177	Unknown related substances (sum area %)
Hydrochloride	205-2042	0	82.2	88.7	---	n.d.	n.d.	<0.1	---	0.3	<0.1
	205-2056	6	69.3	74.8	1.3	n.d.	0.2	n.d.	2.1	0.2	9.2
Sulphate	205-2041	0	77.2	93.6	---	n.d.	n.d.	<0.1	---	0.2	0.2
	205-2060	6	63.3	76.8	1.1	n.d.	0.2	n.d.	1.8	0.3	10.7
Hydrobromide	205-2045	0	77.2	90.7	---	n.d.	n.d.	<0.1	---	0.3	<0.1
	205-2059	6	81.9	96.3	0.5	n.d.	n.d.	n.d.	0.2	0.4	1.0
Free base	F12061	0	N/A	98.2	n.d.	n.d.	n.d.	n.d.	n.d.	0.7	<0.1
	F12061	5	N/A	81.2	n.d.	n.d.	0.3	n.d.	n.d.	0.8	11.8

n.d. not detectable

--- not investigated

M6G uncorr. content calculated as M6G base








M6G corr. content calculated as M6G derivative = M6G uncorr. x f

f = molecular weight (M6G-derivative) / molecular weight (M6G)

M6G: 461.47 f=1.0000
M6G.HCl: 497.93 f=1.0790
M6G.H₂SO₄: 559.55 f=1.2125
M6G.HBr: 542.39 f=1.1753

Claims

1. A hydrobromide salt of morphine-6- β -D-glucuronide (M6G.HBr).
2. A pharmaceutical composition comprising an
5 analgesically effective amount of M6G.HBr together with a
pharmaceutically acceptable carrier, excipient, or diluent.
3. A pharmaceutical composition comprising an amount of
M6G.HBr effective for the treatment of breathlessness in a
subject with advanced cancer, together with a
10 pharmaceutically acceptable carrier, excipient, or diluent.
4. M6G.HBr for use as a medicament.
5. Use of M6G.HBr in the manufacture of a medicament for
the treatment of pain.
6. Use of M6G.HBr in the manufacture of a medicament for
15 the treatment of breathlessness in a subject with advanced
cancer.
7. A method of treating pain which comprises administering
a subject with an analgesically effective amount of M6G.HBr.
8. A method of treating breathlessness in a subject with
20 advanced cancer which comprises administering the subject
with an amount of M6G.HBr which is effective for reducing
breathlessness.

Figure 1 Structure of M6G and Identified Related Substances**Morphine-6-β-D-glucuronide (M6G)****HN-33177****HN-67002****HN-67003****HN-75076****Morphine****HN-75083**

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.